The MELTRIC Product Selector is a website tool to help you choose the plug and receptacles that meet your requirements. The tool can also be used to find part numbers.



1. From the MELTRIC home page, click on the Selector icon at the top right portion of the page or click the **Select Products** box on the home page image (if available), to navigate to the **Product Selector** page.

		Plaginta Blue		Videos CLine)	Where To Be	ey Select		Product Spanish	
ABOUT	/ PRODUCTS /	solutions /	RESOURCES / WHERE	TO BUY / NEWS		CONTACT	/ M-NET	r / Q		
Hartse 7	All / Swith-Bated									
Produ PRODU Settch R DSN DSN	CT TYPE	For othe FILT	TTCH-RATE	D Product filter on the S	left				Char Al Titler	1
High Ang Mutipio Standard DC Self-Lject High Tem Hazardos Single Po Accessory	actly Duty p Location Is boatton Multipin W Welding Connector	8	1762 HEOPHICLE 81 ACCESSORY BCC	 717 718 718 717 717			148 ACCESSION HANCLE		29 Accessory Average	
AMPS		- 8	RECEPTACLE							
C 150			in the second second	1.000 M 10000	20277					
C 200		Select	Part Number	Description	Ang	Votage	making	HURBERG	Environmental Rating	
			33-54042	DS20 RECEPTACLE	20A	480 VAC	29+6	30	Type 3R	
VOLTAG	8	- 0	33-14042-043	DS20 RECEPTACLE	204	480 VAC	29+6	310	Type 3R	
13 347	VAC		33-14042/072	D520 RECEPTACLE	204	480 VAC	28+6	30	Type 3R	
CT 347	SOD WAC						2.2			
13 480	UNC.		19-14042-072-375-843-48	DISO RECEPTACLE	204	480 VAC	29.40	349	Type 4X	
000 🖽	esc.		33-14042-972-48	D520 RECEPTACLE	20A	480 VAC	2P+G	349	Type 4X	
PHASIN	G	- 0	33 14042 072 643	0520 RECEPTACLE	20A	480 W.C	28+6	349	Type 38	
12.38				v	EW MO	ei.				
C3.3P+					(e)					
173. MP-4		a	INI FT							

2. Once on the Product Selector page, click the **Product Type** you want, such as Switch-Rated, High-Ampacity, Multipin, etc. Product options populate based on the chosen product.



A COMPANY OF MARICHAL ELECTR	ic Pring	and and a		Videos Lite	rature	Where To B	vy Selec	tor Free	Product Spanish iffer
ABOUT / PRODUCTS /	SOLUTI	ONS / R	ESOURCES / WHERE	TO BUY / NEW:		CONTACT	/ M-NE	r / Q	
Home / Al / Switch-Revel									
Product Selector		SW	TCH-RATE	D					
PRODUCT TYPE		For other	product types select from	Product filter on the	- left				
DJN DS		FILT	ERED RESULTS	i					Cear A3 Filters
High Ampasity Multipin Standard Duty DC Self Ejecting, High Temp Hazardous Location Hazardous Location Hazardous Location Multipin Single Publi Welding Connector		8	81 ACCESSORY ACCESSORY	718 NLET 200 32 ACCESSOR			148 ACCESSORY HANDLE		29 ACCESSORY ANGLE
Accessory									
		8	RECEPTACLE						
E 100A		Select	Part Number	Description	Атр	Voltage	masing	HP Rating	Environmental Rating
			33-14042	DS20 RECEPTACLE	20A	480 VAC	2P+G	ЗНР	Type 3R or IP55
VOLTAGE	+		33-14042-843	DS20 RECEPTACLE	20A	480 WAC	29+G	3HP	Type 3R or IP55
PHASING	+		33-14042-972	DS20 RECEPTACLE	20A	480 VAC	2P+G	ЭНР	Type 3R or IP55
MATERIAL	+		33-14042-972-375-843-4X	DS20 RECEPTACLE	20A	480 VAC	2P+G	ЗНР	Type 4X or iP66/iP67
			23-14042-972-4X	DS20 RECEPTACLE	20A	480 VAC	2P+G	3HP	Type 4X or IP66/IP67
HORFFROMER BATHLE									

 Next, you will use filters to choose specific product details. For example, you will need to choose a product Amperage. Click on the + to reveal a list of amperages within the Product Type. Select the amperage you need.



4. Next, click on the **Voltage** selector. Click the + to reveal a drop-down list of available voltages for that product series. Select the voltage you need.





5. As you follow down the list of filters and make your selections of Phasing, Material, Horsepower Ratings, Aux/Pilot Contacts, Accessory Sizes, Environmental Rating, Pawl Options, and Lid Options, etc., the list of products available that meet your specifications will appear both as photos, and in list form on the page.

	no files Visual Listandaria Balandaria Bala		has the	View Usersen Hart berg Good Products Hard		into Mare	Q Q Q Q Q U
ABOUT / PRODUCTS / ROLUTS	NS / RESOURCES / WHERE TO BUY / NEWS / CONTACT / MINET / Q				ABOUT / PRODUCTS / SOLUT	IONS / RESOURCES / WHERE TO I	RUF I NEWS I CONTRET I MANIT I Q
Here J. H. I. Sami-Aust		inner i Pastata i Selectioni i St	Serve 2 DEVICENCEPTICE		Harris / History / Salah Assoc / 20	Sena i munchizencit	
Product Selector PRODUCT TYPE Sentis Fixed This Th	SWITCH-RATED For other product types when from the left. FILTERED RESULTS Core of Theory 6 6 56 10 50 30		DS100C RECEP 33-64243-C-K04-97 SPECIFICATIONS	TACLE 2-843 100A 480 VAC Type 3R or IP55 50HP	- 451.45 TO SLICES	DS100C RECEPT 33-64243-C-K04-972 SPECIFICATIONS	TACLE 2-843 100A 480 VAC Type 3R or IP55 50HP
Naviani Dogi DC	Salarana S	\mathbf{V}	Rated Current (A)	1004		Rated Current (A)	1004
refle profit	7		Rated Voltage (V)	483 VNC	-	Rated Voltage (V)	and real
Macardonal Location Macardonal Location Multiger	CO ACCOUNT	2 💭 💷	Horsepower Kating	5010	O	Horsepower Bailing	5047
Single Pole Helding Convertor Accessing		0 -	Contact Configuration	p+4	0	Contact Configuration	32+0
		product configuration	Auxiliary Contacts	+2 AU8	images may not reflect actual product configuration	Audian Castern	244
Artigat 100A format this tem		ADD TO DUCTE REDUCT	Ratings information	SMITCH RATED BRANCH CRELIT DISCONNECT SWITCH MOTOR DRELIT DISCONNECT SWITCH	A DOMELINE PER	Ratings information	SWITCH BATED BRANCH CRICUIT DISCONNECT SWITCH MICTOR CRICUIT DISCONNECT SWITCH
Voltage: 480 VAC Remove This term	DAGASCANAFISAD DSINCHEEPING SIA ANSWE INC SHE SHE SAN SAN SAN	📾 1000). 🗮 PENT	Environmental Rating	Type 38 UF 55		Environmental Rating	7pm 38
3P+G formed Trackare	D IS A REAL PARTY CONTRACTOR OF A REAL OF A REAL AND A		Short Circuit Rating	100 KA - MAKE & WITHSTAND		Short Circuit Bating	100 KA - MARE & WITHETHING
Aun/Plint Contacts: +2 AUX Summer You Serve	Disectory and contractive to an anti-anti-anti-anti-anti-anti-anti-anti-		Impact Rating	108		Impact Rating	1028
Pawl Options.	Distribution of the second sec		Material	POLY		Material	Par .
PROCOCK PROFE demand This law.	D DEALO-CRUENTIAN DESDICHEEPPICE 1004 ARTINC 3P-6 SOUR TWEATURE		Product Celor	BLM		Product Color	nur -
Chie Al	Distance and active construction active and we are any tipe and showed		Interior Valuete	NA			
MATERIAL +	ACCESSORY MANDLE					Settempr Vesuality	CREW C

6. Click on the appropriate selections to create your MELTRIC product selection. Once complete, click the **Request Quote** box to complete your quote request.



Current current Current current Current current Current current Current current Current current Current current Current current Current current Current Current curr	< Retu	REOU				
REQUEST A QUODE Autors decision Autors decision <th>< Retu</th> <th>REOU</th> <th></th> <th></th> <th></th> <th>1</th>	< Retu	REOU				1
< Returns at Results	< Retu		EST A Q	UOTE		
Part Number Description Quantity Image: Star Star Star Star Star Star Star Star		m to Results			🖶 PRINT QUOTE	
33.45439.5. 05190C No4.972.443 05100C INLET 10 Remove 10 Starbox 10 Starbox 10 Starbox 10 Starbox 10 Starbox 11 Remove 11 Starbox 12 Starbox 13 Starbox 14 Starbox 15 HANDE 10 Remove 11 Remove 12 Remove 13 Starbox 14 Starbox 15 HANDE 12 Remove 13 Resover 14 Starbox 15 HANDE 16 Resover 17 Resover 18 Resover 19 Resover 10 Resover 10 Resover 10 Resover 10 Resover 10 Resover 10 Resover		Part Number	Description	Quantity		
33.46234.5C 05100C INLET 10 Remove 10 51.670405 HANDLE 20 Remove 10 StarDovid HANDLE 20 Remove		33-64243-C- 804-972-843	DS100C RECEPTACLE	10		
25 LEVONOS 14XDLE 20 Remove R	(33-68243-C- K04-972	DS100C INLET	10	Remove	
Complete the form below to submit your quote request to a sales representative. If Immediate assistance is required to a sale representative. If Immediate assistance is required as the first "Many" again and contact your local Sales Rep by phone. Lest Name		514P0N05	HANDLE	20	Remove	
First Name Last Name Commany	C Jamma	omplete the form below to su duate assistance is required so	OUR QUO bmit your quote res ee the "Where to Bu Rep by phone.	TE REQU quest to a sales n ry" page and corr	EST opresentative. If tact your local Sales	
Company	First	Name	Last N	ame		
	Com	pany				

7. A list of product types and part numbers is created based on your selections. Enter the desired **quantity** of each part you want to order.

33-64243-C- D5100C K04-972-843 RECEPTA	CLE 10 Remove	8	33-64243-C- D51 K04-972-843 REC	00C 10	Remove		33-68243-C- D	S100C INLET 10	Remove
33-68243-C- D5100C1 K04-972	INLET 10 Remove	61	33-68243-C- DS1 KD4-972	OOC INLET 10	Remove	Carl Carl			
514PONDS HANDLE	20 Remove		514PON05 HAJ	VDLE 20	Remova	.	514P0N05 H/	ANDLE 20	Remove
Complete the form below to submit your or immediate assistance is required set the "When	QUOTE REQUEST	Complete the immediate assista	EMAIL YOU form below to submit yo ince is required see the " Rep	R QUOTE RE our quote request to a Where to Buy' page a by phone.	EQUEST sales representative. If nd contact your local Sales	Complete the for immediate assistance	EMAIL YOU rm below to submit y cc is required see the Re	IR QUOTE REQ your quote request to a sale "Where to Buy" page and o p by phone.	UEST es representative. If contact your local Sales
Peter	Philps	Peter		Philips		Peter		Philips	
ABCING		ABCIT		-		ABC Ltd.			
United States		Units Select all Cross	squares with		6	United States			•
Franklin Wisconsin	4 53132	Fran			53132	Franklin	Wisconsi	in 🕴 5313	32
antiliantiatic com	122,456,7890	pphil		90		pphilips@abc.com		123-456-7890	
Please quote the following items.	1274307070	Pleat				Please quote the fol	lowing items.		
fm not a robot			30		of the researches	✓ Em not a robot	SCATOR New York		
Submittal of this quote request authoriti	es MELTESC to contact the requestor.		1			Submittal	of this quote request a	utherizes MELTRIC to contact th	he requestor.
		C 🔒	0	SKOP					

 Next, enter your contact information and any questions or comments on the form. Once completed, check "I'm not a robot." A Captcha request will pop-up to prove that you are not a bot. Once you successfully complete the Captcha, click again on the Send Quote Request. Your request will be sent to the MELTRIC Sales Representative in your area. A MELTRIC Rep should contact you within 48 hours.





 If you need immediate assistance, click the Where to Buy icon at the top of the page. There, you can enter your zip or postal code to find your MELTRIC Rep's contact information. You can also contact MELTRIC Customer Service at 1-800-824-4031, Monday-Friday, 7:00 AM – 5:00 PM Central Time.

